
















BS82

STRENGTH














Assembly Instructions




Parts List

Side Frame 1			Side Frame 2			Down horizontal connection			TOP horizontal connection		
											
1		1 PCS	2		1 PCS	3		1 PCS	4		1 PCS
handle connection support			Small cover			M12*125 Cylindrical head hexagon socket screws			Φ12 flat gasket		
											
5		1 PCS	6		1 PCS	7		12 PCS	8		12 PCS
M12 non-slip nut			Φ12 Arc gasket			Φ8 flat gasket			M8*16 Half round head hexagon socket head screw		
											
9		12 PCS	10		12 PCS	11		50 PCS	12		18 PCS
adjust slide 1			adjust slide 2			M8 non-slip nut			M8*55 Cylindrical head hexagon socket screws		
											
13		1 PCS	14		1 PCS	15		8 PCS	16		8 PCS


Parts list

guide rod			Nylon board			M8*30 Half round head hexagon socket head screw			Weight stack		
											
17		4 PCS	18		4 PCS	19		16 PCS	20		30 PCS
guide rod cushion			Selection rod+head piece+moving pulley assembly			Cable lock head			M8*10 top wire		
											
21		4 PCS	22		2 PCS	23		2 PCS	24		6 PCS
rubber boot			Rubber ball			safety hook			Handle		
											
25		2 PCS	26		2 PCS	27		2 PCS	28		2 PCS
Cable			Cover								
											
29		2 PCS	30		2 PCS						

Step (1)



Step (2)



Step (3)

